	SAF	tion (EC) No 1907/2006 (REACH) as amended
		APC OUT
Creat	ion date 10th August 2000	
	ion date 17th May 2021	Version 2.0
	· · · · · · · · · · · · · · · · · · ·	mixture and of the company/undertaking
1.1.	Product identifier	APC OUT
	Substance / mixture	mixture
1.2.	Relevant identified uses of the substa	ance or mixture and uses advised against
	Mixture's intended use	-
	Effective product, designed for cleaning e	levations, roofs and facades from tarry contaminations (soot), dirt of
	organic origin (plants, insects, excrement	
	Mixture uses advised against	
	not available	
1.3.	Details of the supplier of the safety d	ata sheet
	Manufacturer	
	Name or trade name	TENZI Sp. z o.o.
	Address	Skarbimierzyce 20, Dołuje, 72-002
		Poland
	VAT Reg No	PL8512583405
	Phone	PL8512583405 +48 91 3119777
	Phone E-mail	PL8512583405 +48 91 3119777 info@tenzi.pl
	Phone E-mail Web address	PL8512583405 +48 91 3119777 info@tenzi.pl www.tenzi.pl
	Phone E-mail Web address Competent person responsible for the	PL8512583405 +48 91 3119777 info@tenzi.pl www.tenzi.pl e safety data sheet
	Phone E-mail Web address Competent person responsible for the Name	PL8512583405 +48 91 3119777 info@tenzi.pl www.tenzi.pl
1.4.	Phone E-mail Web address Competent person responsible for the	PL8512583405 +48 91 3119777 info@tenzi.pl www.tenzi.pl e safety data sheet

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Skin Corr. 1B, H314 Eye Dam. 1, H318

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes serious eye damage. Causes severe skin burns and eye damage.

2.2. Label elements

Hazard pictogram



Signal word Danger

Hazardous substances

 Quaternary coco alkyl methyl amine ethoxylate methyl chloride

 Alcohols, C12-13, ethoxylated

 sodium hydroxide

 Hazard statements

 H314
 Causes severe skin burns and eye damage.

 Precautionary statements

 P280
 Wear protective gloves/protective clothing/eye protection/face protection.

 P301+P330+P331
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



according to Regulation (EC) No 1907/2006 (REACH) as amended

APC OUT						
Creation date	10th August 2000					
Revision date	17th May 2021	Version	2.0			
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.						
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			f			
P310	Immediately call a POISON	I CENTER/doctor.				
P405	Store locked up.					

Supplemental information

5-<15 % cationic surfactants, <5 % phosphonates, <5 % amphoteric surfactants, <5 % non-ionic surfactants **Requirements for child-resistant fastenings and tactile warning of danger**

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers			Classification according to Regulation (EC) No 1272/2008	Note
CAS: 1554325-20-0 Registration number: polimer	Quaternary coco alkyl methyl amine ethoxylate methyl chloride	<6	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318	
CAS: 160901-19-9 EC: 931-954-4 Registration number: polimer	Alcohols, C12-13, ethoxylated	<5	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: C > 10 % Eye Irrit. 2, H319: 1 % < C \leq 10 %	
Index: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 Registration number: 01-2119457892-27- XXXX	sodium hydroxide	<4	Met. Corr. 1, H290 Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1B, H314: $2 \% \le C < 5 \%$ Skin Corr. 1A, H314: $C \ge 5 \%$ Eye Irrit. 2, H319: $0,5 \% \le C < 2 \%$ Skin Irrit. 2, H315: $0,5 \% \le C < 2 \%$	
EC: 931-513-6 Registration number: 01-2119513359-38- XXXX	1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-(C12-18 (even numbered) acyl) derivs., hydroxides, inner salts	<3	Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: C > 10 % Eye Irrit. 2, H319: 4 % < C \leq 10 %	
CAS: 2809-21-4 EC: 220-552-8 Registration number: 01-2119510391-53- XXXX	1-hydroxyethylidene-1,1-diphosphonic acid	<2	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318	

Full text of all classifications and hazard statements is given in the section 16.



according to Regulation (EC) No 1907/2006 (REACH) as amended

APC OUT

Creation date	10th August 2000			
Revision date	17th May 2021	Version	2.0	

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

If swallowed

DO NOT INDUCE VOMITING - even the inducted vomiting can cause complications as in case of detergents and other foaming substances. Danger of esophageal and gastric perforation! RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns.

If in eyes

4.3.

Causes serious eye damage. **If swallowed** Corrosion of the digestion system can occur.

Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.



according to Regulation (EC) No 1907/2006 (REACH) as amended

) NO 1907/2006 (REACH)	as amenueu	
		Α	PC OUT		
Creati	on date	10th August 2000			
Revisi	on date	17th May 2021	Version	2.0	
6.3.	Methods and	material for containment and c	leaning up		
	earth and oth Section 13. I	t should be covered with suitable er suitable absorption materials); n the event of leakage of the su dies. After removal of the produc	to`be contained in well cl ubstantial amount of the	osed containers and remo product, inform fire brig	oved as per the gade and other
6 4	D - f + -	athey seations			

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale aerosols. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in a tightly closed, original plastic container (high density polyethylene HDPE). Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor. DO NOT expose the product to sunlight and keep away from heat, frost, sparks, flame and source of ignition.

Content	Packaging type	Material of package	
700 ml	bottle	HDPE	
Storage temperature Specific end use(s)	min 5 °C, max 35 °	с	

not available

7.3.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set. **DNEL**

sodium hydroxide

Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Inhalation	1.0 mg/m ³	Local chronic effects	
Consumers	Inhalation	1.0 mg/m ³	Local chronic effects	

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Contaminated skin should be washed thoroughly.

Respiratory protection

Under regular circumstances it is not necessary.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1.	Information on basic physical and chemical properties			
	Physical state	liquid		
	Color	brown		



according to Regulation (EC) No 1907/2006 (REACH) as amended

APC OUT

Creati	on date	10th August 2000			
	on date	17th May 2021	Version	2.0	
	Odour	· · · · · · · · · · · · · · · · · · ·	Characteristic for th	e materials used	
	Melting point/fre	ezing point	data not available		
	Boiling point or i	nitial boiling point and boiling range	data not available		
	Flammability		data not available		
	Lower and upper	explosion limit	data not available		
	Flash point		data not available		
	Auto-ignition temperature Decomposition temperature		data not available		
			data not available		
	pН		14 (undiluted at 20	°C)	
	Kinematic viscos	ity	data not available		
	Solubility in wate	er	soluble		
	Partition coefficie	ent n-octanol/water (log value)	data not available		
	Vapour pressure		data not available		
	Density and/or r	elative density			
	Density		data not available		
	Relative dens	ity	1,070 g/cm3 (+-) 0	0,020	
9.2.	Other informat	ion			
	not available				

SECTION 10: Stability and reactivity

10.1. Reactivity

- not available
- 10.2. Chemical stability
 - The product is stable under normal conditions.
- 10.3. Possibility of hazardous reactions Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

- 10.5. Incompatible materials Protect against strong acids, bases and oxidizing agents.
- 10.6. Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

1-nyc	, ,	ene-1,1-dipno:	sphonic acid	
1-hyc	droxyethylid	ene-1,1-dipho	sphonic acid	

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD50	3200 mg/kg		Rat (Rattus norvegicus)		Based on evidence	karta charakter ystyki
Inhalation	LD50	3000 mg/kg		Rat (Rattus norvegicus)		Based on evidence	karta charakter ystyki



according to Regulation (EC) No 1907/2006 (REACH) as amended

APC OUT

	7.			
Creation date	10th August 2000			
Revision date	17th May 2021	Version	2.0	

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method	Source
Skin	LD50	>620 mg/kg		Rat (Rattus norvegicus)	F/M	Based on evidence	karta charakter ystyki
Oral	LD50	2430 mg/kg		Rat (Rattus norvegicus)	F/M	Based on evidence	karta charakter ystyki

Alcohols, C12-13, ethoxylated

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD50	>300-2000 mg/kg		Rat (Rattus norvegicus)			karta charakter ystyki
Skin	LD50	>2000 mg/kg		Rabbit	F/M		karta charakter ystyki

Quaternary coco alkyl methyl amine ethoxylate methyl chloride

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD50	>300-2000 mg/kg		Rat (Rattus norvegicus)		R	karta charakter vstvki

sodium hydroxide

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Determining method	Source
Intraperitoneally	LD50	40 mg/kg		Mouse			SDS
Oral	LDL0	500 mg/kg		Rabbit			SDS
Oral	TDLo	44 mg/kg		Rat (Rattus			SDS
				norvegicus)			

Skin corrosion/irritation

Causes severe skin burns.

1-hydroxyethylidene-1,1-diphosphonic acid

Route of exposure	Result	Time of exposure	Species	Determining method	Source
	Irritating			Based on evidence	karta charakterys tyki

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Result	Time of exposure	Species	Determining method	Source
	Not irritating			Based on evidence	karta charakterys tyki

Route of exposure	Result	Time of exposure	Species	Determining method	Source
Skin	Not irritating		Rabbit		karta charakterys tyki



according to Regulation (EC) No 1907/2006 (REACH) as amended

APC OUT

Creation date	10th August 2000			
Revision date	17th May 2021	Version	2.0	

Quate	Quaternary coco alkyl methyl amine ethoxylate methyl chloride								
Route expos	-	Result	Time of exposure	Species	Determining method	Source			
Derma	al	Irritating				karta charakterys tyki			

Serious eye damage/irritation

Causes serious eye damage.

1-hydroxyethylidene-1,1-diphosphonic acid

Route of exposure	Result	Time of exposure	Species	Determining method	Source
	Serious eye damage				karta charakterys tyki

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Result	Time of exposure	Species	Determining method	Source
	Serious eye damage			Based on evidence	karta charakterys tyki

Alcohols, C12-13, ethoxylated

Route of exposure	Result	Time of exposure	Species	Determining method	Source
Eye	Serious eye damage		Rabbit		karta charakterys tyki

Quaternary coco alkyl methyl amine ethoxylate methyl chloride

Route of exposure	Result	Time of exposure	Species	Determining method	Source
Eye	Serious eye damage			Based on evidence	karta charakterys tyki

Sensitization

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Route of exposure	Result	Method	Time of exposure	Species	Sex	Determining method	Source
Skin	No effect	OECD 406		Guinea-pig (Cavia aperea f. porcellus)		Based on evidence	karta charakter ystyki

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

1-hydroxyethylidene-1,1-diphosphonic acid

Route of exposure	Result	Time of exposure	Species	Sex	Determining method	Source
	No effect				Based on evidence	karta charaktery styki



according to Regulation (EC) No 1907/2006 (REACH) as amended

APC OUT

Creation date	10th August 2000			
Revision date	17th May 2021	Version	2.0	

Alcohols, C12-13, ethoxylated

Route of exposure	Result	Time of exposure	Species	Sex	Determining method	Source
Skin	No effect		Guinea-pig (Cavia aperea f. porcellus)	F/M		karta charaktery styki

Quaternary coco alkyl methyl amine ethoxylate methyl chloride

Route of exposure	Result	Time of exposure	Species	Sex	Determining method	Source
Inhalation	Not sensitizing				Based on evidence	karta charaktery styki

Mutagenicity

1-hydroxyethylidene-1,1-diphosphonic acid

Result	Method	Time of exposure	Specific target organ	Species	Sex	Determinin g method	Source	
Negative						Based on evidence	karta charakt erystyki	

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Result	Method	Time of exposure	Specific target organ	Species	Sex	Determinin g method	Source
Negative	OECD 471					Based on evidence	karta charakt erystyki
Negative	OECD 476					Based on evidence	karta charakt erystyki
Negative	OECD 474					Based on evidence	karta charakt erystyki

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Alcohols, C12-13, ethoxylated

Result	Method	Time of exposure	Specific target organ	Species	Sex	Determinin g method	Source
No effect	in vivo				F/M		karta charakt
							erystyki

Quaternary coco alkyl methyl amine ethoxylate methyl chloride

Result	Method	Time of exposure	Specific target organ	Species	Sex	Determinin g method	Source
Negative						Based on evidence	karta charakt erystyki



according to Regulation (EC) No 1907/2006 (REACH) as amended

APC OUT

Creation date	10th August 2000			
Revision date	17th May 2021	Version	2.0	

Carcinogenicity

Based on available data the classification criteria are not met.

1-hydroxyethylidene-1,1-diphosphonic acid

Route of exposure	Parameter	Value	Result	Species	Sex	Determining method	Source
			Not carcinogenic			Based on evidence	karta charaktery styki

Alcohols, C12-13, ethoxylated

Route of exposure	Parameter	Value	Result	Species	Sex	Determining method	Source
			Not carcinogenic		F/M		karta charaktery styki

Reproductive toxicity

Based on available data the classification criteria are not met.

Alcohols, C12-13, ethoxylated

Effect	Parameter	Method	Value	Result	Species	Sex	Source
		in vitro		No effect		F/M	karta charaktery styki
Effects on fertility				No effect		F/M	karta charaktery styki

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

1-hydroxyethylidene-1,1-diphosphonic acid

Route of exposure	Parameter	Value	Result	Species	Sex	Determining method	Source
			Negative			Based on evidence	karta charaktery styki

Alcohols, C12-13, ethoxylated

Route of exposure	Parameter	Value	Result	Species	Sex	Determining method	Source
			No effect				karta charaktery styki

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

/	/ /							
Route of exposure	Parameter	Value	Time of exposure	Specific target organ	Result	Species	Sex	Source
Oral	NOAEL	50 mg/kg	2 year		Reduced body weight	Rat (Rattus norvegicus)	F/M	karta charakter ystyki



according to Regulation (EC) No 1907/2006 (REACH) as amended

APC OUT

Creation date Revision date 10th August 2000 17th May 2021

Version

2.0

Repeated dose toxicity

1-hydroxyethylidene-1,1-diphosphonic acid

Route of exposure	Parameter	Result	Value	Time of exposure	Species	Sex	Determinin g method	Source
		Negative					Based on evidence	karta charakter ystyki

Aspiration hazard

Based on available data the classification criteria are not met.

1-hydroxyethylidene-1,1-diphosphonic acid

Route of exposure	Result	Time of exposure	Species	Sex	Determining method	Source
	Negative				Based on evidence	karta charaktery styki

11.2. Information on other hazards not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

1-hydroxyethylidene-1,1-diphosphonic acid

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
LC50		350 mg/l	96 hour			Based on evidence	karta charakte rystyki

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
EC₅o	OECD 202	1.9 mg/l	48 hour	Daphnia (Daphnia magna)		Based on evidence	karta charakte rystyki
ErC₅o		2.4 mg/kg	72 hour	Algae and other aquatic plants		Indicator of growth	karta charakte rystyki
ErC₅o		7 mg/l	72 hour	Daphnia (Daphnia magna)		Indicator of growth	karta charakte rystyki
LC50	OECD 203	1.11 mg/l	96 hour	Fishes (Oncorhynchus mykiss)			karta charakte rystyki

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
LC50	OECD 203	>1-10 mg/l	96 hour	Fishes (Poecilia reticulata)		Literary studies	karta charakte rystyki



according to Regulation (EC) No 1907/2006 (REACH) as amended

APC OUT

Creation date Revision date 10th August 2000

Version

2.0

Alcohols, C12-13, ethoxylated

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
EC₅o	OECD 202	>1-10 mg/l	48 hour	Daphnia (Daphnia magna)		Literary studies	karta charakte rystyki
EC₅o	OECD 201	>1-10 mg/l	72 hour	Algae (Selenastrum capricornutum)		Literary studies, Observation method, Indicator of growth	karta charakte rystyki
NOEC	OECD 201	>1-10 mg/l	72 hour	Algae (Selenastrum capricornutum)		Literary studies, Indicator of growth	karta charakte rystyki
EC₅o		140 mg/l		Bacteria (Salmonella typhimurium)	Activated sludge	Literary studies	karta charakte rystyki
NOEC	OECD 208	220 mg/l				Literary studies, Reproduction	karta charakte rystyki
NOEC	OECD 208	10 mg/kg		Higher plants		Literary studies, Indicator of growth	karta charakte rystyki

Quaternary coco alkyl methyl amine ethoxylate methyl chloride

17th May 2021

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
LC50		>10-100 mg/l	96 hour	Fishes (Oncorhynchus mykiss)		Based on evidence	karta charakte rystyki
EC50		>1-10 mg/l	48 hour	Daphnia (Daphnia magna)		Based on evidence	karta charakte rystyki
EC₅o		>1-10 mg/l	72 hour	Algae (Selenastrum capricornutum)		Based on evidence	karta charakte rystyki

sodium hydroxide

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
EC₅o		40.4 mg/l	48 hour	Aquatic invertebrates (Ceriodaphnia dubia)			SDS
EC50		22 mg/l	15 min	Microorganisms (Photobacteriu m phosphoreum)			SDS

Chronic toxicity

1-hydroxyethylidene-1,1-diphosphonic acid

Parameter	r Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
EC₅o		229 mg/l	48 hour	Daphnia (Daphnia magna)		Based on evidence	karta charakte rystyki



according to Regulation (EC) No 1907/2006 (REACH) as amended

APC OUT

		-	-	-
Creation date	10th August 2000			
Revision date	17th May 2021			Ve

Version

2.0

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
EC50		3000 mg/l	16 hour	Bacteria (Salmonella typhimurium)		Based on evidence	karta charakte rystyki
NOEC	OECD 211	0.3 mg/l	21 day	Daphnia (Daphnia magna)		Based on evidence	karta charakte rystyki
NOEC	OECD 210	0.135 mg/l	100 day	Fishes (Oncorhynchus mykiss)		Based on evidence	karta charakte rystyki
NOECr		0.6 mg/l	72 hour	Algae and other aquatic plants		Based on evidence	karta charakte rystyki

Alcohols, C12-13, ethoxylated

Parameter	Method	Value	Time of exposure	Species	Environm ent	Determining method	Source
EC10		>0.1-1 mg/l		Fishes (Pimephales promelas)		Literary studies	karta charakte rystki
EC10	OECD 211	>0.1-1 mg/l		Daphnia (Daphnia magna)		Literary studies	karta charakte rystyki

12.2. Persistence and degradability

Biodegradability

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

Parameter	Method	Value	Time of exposure	Environmen t	Determining method	Result	Source
		95 %	28 day		Based on evidence	Easily biodegradable	karta charakte rystyki
		80-90 %	60 day		Based on evidence	Easily biodegradable	karta charakte rystyki
	OECD 306	75 %	28 day		Based on evidence	Easily biodegradable	karta charakte rystyki

Parameter	Method	Value	Time of exposure	Environmen t	Determining method	Result	Source
	OECD 301B	>60 %	28 day		Literary studies	Easily biodegradable	karta charakte rystyki
	OECD 311	>60 %	69 day			Biodegradable	karta charakte rystyki



according to Regulation (EC) No 1907/2006 (REACH) as amended

APC OUT

Creation date	10th August 2000		
Revision date	17th May 2021	Version	2.0

Quaternary coco alkyl methyl amine ethoxylate methyl chloride

Parameter	Method	Value	Time of exposure	Environmen t	Determining method	Result	Source
	OECD 301D					Easily biodegradable	karta charakte rystyki

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

12.3. Bioaccumulative potential Data not available.

12.4. Mobility in soil

Alcohols, C12-13, ethoxylated

Parameter	Value	Environment	J	Determining method	Source
Кос	>5000			Literary studies	karta charakterystyki

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

not available

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended.

Waste type code

07 06 04 other organic solvents, washing liquids and mother liquors *

Packaging waste type code

15 01 02 plastic packaging

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number UN 1719

14.2. UN proper shipping name

CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide)

- 14.3. Transport hazard class(es)
- 8 Corrosive substances
- 14.4. Packing group
- III substances presenting low danger
- 14.5. Environmental hazards
 - No



according to Regulation (EC) No 1907/2006 (REACH) as amended

	APC OUT						
Creatio	on date	10th August 2000					
Revisio	on date	17th May 2021	Version	2.0			
14.6.	Special precaut	ions for user					
	Reference in the	Sections 4 to 8.					
14.7.	Maritime transp	oort in bulk according to IM	0 instruments				
	not available						
	Additional infor	mation					
	Hazard ident	ification No.					
	UN number		1719				
	Safety signs		8				
			No. 10 And				

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.

15.2. Chemical safety assessment

For mixture:

A Chemical Safety Assessment has not been carried out.

For the following substances, mixtures:

Quaternary coco alkyl methyl amine ethoxylate methyl chloride: the manufacturer has not performed the chemical safety assessment

Editronic acid: the manufacturer has not performed a chemical safety assessment

Alcohols, C12-13, ethoxylated: no data available

Sodium hydroxide: the manufacturer has performed a chemical safety assessment

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts: the product contains substances for which a chemical safety assessment is still required

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

- H290May be corrosive to metals.H302Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H412 Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
O i i i i i i i i i i	formation about human health nucleation

Other important information about human health protection



according to Regulation (EC) No 1907/2006 (REACH) as amended

		APC	ΟΠΤ	
Cupation	data		001	
Creation		10th August 2000	Varaian	2.0
evision		17th May 2021	Version	
a	as per the Section 1.	The user is responsible for adhere	ence to all related healt	importer - used for purposes other th h protection regulations.
	-	s and acronyms used in the sa		
	ADR	European agreement concerning	the international carria	ge of dangerous goods by road
	BCF	Bioconcentration Factor		
C	CAS	Chemical Abstracts Service		
C	CLP	Regulation (EC) No 1272/2008 o mixtures	n classification, labelling	g and packaging of substance and
C	ONEL	Derived no-effect level		
E	EC	Identification code for each subst	tance listed in EINECS	
E	EC50	Concentration of a substance whe	en it is affected 50% of	the population
	EINECS	European Inventory of Existing C		
	EmS			
	-	Emergency plan		
	EU	European Union	-	
	EuPCS	European Product Categorisation		
I	IATA	International Air Transport Assoc		
Ι	IBC	International Code For The Const Chemicals	ruction And Equipment	of Ships Carrying Dangerous
I	IC50	Concentration causing 50% block	kade	
I	ICAO	International Civil Aviation Organ		
I	IMDG	International Maritime Dangerou		
-	INCI	International Nomenclature of Co		
	ISO		-	
		International Organization for Sta		
	IUPAC	International Union of Pure and A		
L	_C50	Lethal concentration of a substar population		
L	_D50	Lethal dose of a substance in wh	ich it can be expected c	leath of 50% of the population
L	OAEC	Lowest observed adverse effect of	concentration	
L	LOAEL	Lowest observed adverse effect I	evel	
le	og Kow	Octanol-water partition coefficier	ht	
	MARPOL	International Convention for the		From Shins
	NOAEC	No observed adverse effect conce		rion ships
	NOAEL	No observed adverse effect level		
Γ	NOEC	No observed effect concentration		
Γ	NOEL	No observed effect level		
C	DEL	Occupational Exposure Limits		
F	PBT	Persistent, Bioaccumulative and	Toxic	
F	PNEC	Predicted no-effect concentration		
	opm	Parts per million		
	REACH	Registration, Evaluation, Authoris	sation and Postriction o	fChomicals
		-		
	RID	Agreement on the transport of da		
	JN	Four-figure identification number Regulations		
ί	JVCB	Substances of unknown or variat materials	le composition, comple	ex reaction products or biological
١	VOC	Volatile organic compounds		
V	vРvВ	Very Persistent and very Bioaccu	mulative	
	Acute Tox.	Acute toxicity		
A	Aquatic Chronic	Hazardous to the aquatic environ	iment (chronic)	
E	Eye Dam.	Serious eye damage		
E	Eye Irrit.	Eye irritation		
Ν	Met. Corr.	Corrosive to metals		
	Skin Corr.	Skin corrosion		
		Skin irritation		
c	Skin Irrit.			



according to Regulation (EC) No 1907/2006 (REACH) as amended

APC OUT

Creation date Revision date

Version

2.0

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

10th August 2000

17th May 2021

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

General update

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

